



Mercedes-Benz Personenwagens verbruiks- en CO₂-emissiegegevens.

Groene Labels.



Mercedes-Benz

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
A 180	EU6	H6	195/65R15, met A14* en 4U3**	120	5,2	B
A 180	EU6	H6	205/55R16, met A14* en 4U3**	120	5,2	B
A 180	EU6	H6	205/55R16, met A14*	128	5,5	B
A 180	EU6	H6	195/65R15, met A14*	128	5,5	B
A 180	EU6	H6	225/45R17, met A14*	133	5,7	C
A 180	EU6	H6	205/50R17, met A14*	133	5,7	C
A 180	EU6	H6	225/40R18, met A14*	135	5,8	C
A 180	EU6	A7	205/55R16	127	5,4	B
A 180	EU6	A7	195/65R15	127	5,4	B
A 180	EU6	A7	225/45R17	131	5,6	C
A 180	EU6	A7	205/50R17	131	5,6	C
A 180	EU6	A7	225/40R18	133	5,7	C
A 200	EU6	H6	205/55R16, zonder A14*	134	5,7	C
A 200	EU6	H6	225/45R17, zonder A14*	138	5,9	C
A 200	EU6	H6	205/50R17, zonder A14*	138	5,9	C
A 200	EU6	H6	225/40R18, zonder A14*	140	6,0	C
A 200	EU6	H6	205/55R16, met A14*	129	5,5	B
A 200	EU6	H6	225/45R17, met A14*	134	5,7	C
A 200	EU6	H6	205/50R17, met A14*	134	5,7	C
A 200	EU6	H6	225/40R18, met A14*	136	5,8	C
A 200	EU6	A7	205/55R16	127	5,4	B
A 200	EU6	A7	225/45R17	131	5,6	C
A 200	EU6	A7	205/50R17	131	5,6	C
A 200	EU6	A7	225/40R18	133	5,7	C
A 250	EU6	A7	225/45R17	138	5,9	C
A 250	EU6	A7	205/50R17	138	5,9	C
A 250	EU6	A7	225/40R18	140	6,0	C
A 250	EU6	A7	235/40R18	140	6,0	C
A 160 CDI	EU5	H6	195/65R15, zonder 4U3*	98	3,8	C
A 160 CDI	EU5	H6	205/55R16, zonder 4U3*	98	3,8	C
A 160 CDI	EU5	H6	205/50R17, zonder 4U3*	102	4,0	C
A 160 CDI	EU5	H6	225/45R17, zonder 4U3*	102	4,0	C
A 160 CDI	EU5	H6	225/40R18, zonder 4U3*	105	4,0	C

* A14 = Camtronic | * 4U3 = ecopakket

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
A 160 CDI	EU5	A7	195/65R15	103	4,0	C
A 160 CDI	EU5	A7	205/55R16	103	4,0	C
A 160 CDI	EU5	A7	205/50R17	108	4,1	C
A 160 CDI	EU5	A7	225/45R17	108	4,1	C
A 180 CDI	EU5	H6	195/65R15, met 4U3*	92	3,6	B
A 180 CDI	EU5	H6	205/55R16, met 4U3*	92	3,6	B
A 180 CDI	EU5	H6	205/55R16, zonder 4U3*	98	3,8	C
A 180 CDI	EU5	H6	195/65R15, zonder 4U3*	98	3,8	C
A 180 CDI	EU5	H6	225/45R17, zonder 4U3*	102	4,0	C
A 180 CDI	EU5	H6	205/50R17, zonder 4U3*	102	4,0	C
A 180 CDI	EU5	H6	225/40R18, zonder 4U3*	105	4,0	C
A 180 CDI	EU5	A7	195/65R15	103	4,0	C
A 180 CDI	EU5	A7	205/55R16	103	4,0	C
A 200 CDI	EU6	A7	205/55R16	102	3,9	C
A 220 CDI	EU6	A7	205/55R16	104	4,0	C
CLA 180	EU6	H6	195/65R15, met 4U3*	117	5,0	A
CLA 180	EU6	H6	205/55R16, met 4U3*	117	5,0	A
CLA 180	EU6	H6	205/55R16	126	5,4	B
CLA 180	EU6	H6	225/45R17	128	5,5	B
CLA 180	EU6	H6	205/50R17	128	5,5	B
CLA 180	EU6	H6	225/40R18	130	5,6	B
CLA 180	EU6	H6	245/35R18	130	5,6	B
CLA 180	EU6	A7	205/55R16	122	5,2	B
CLA 180	EU6	A7	225/45R17	126	5,4	B
CLA 180	EU6	A7	205/50R17	126	5,4	B
CLA 180	EU6	A7	225/40R18	129	5,5	B
CLA 180	EU6	A7	245/35R18	129	5,5	B
CLA 200	EU6	H6	205/55R16	127	5,5	B
CLA 200	EU6	H6	225/45R17	129	5,6	B
CLA 200	EU6	H6	205/50R17	129	5,6	B
CLA 200	EU6	H6	225/40R18	131	5,7	B
CLA 200	EU6	H6	245/35R18	131	5,7	B
CLA 200	EU6	A7	205/55R16	122	5,2	B

* 4U3 = ecopakket

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
CLA 200	EU6	A7	225/45R17	126	5,4	B
CLA 200	EU6	A7	205/50R17	126	5,4	B
CLA 200	EU6	A7	225/40R18	129	5,5	B
CLA 200	EU6	A7	245/35R18	129	5,5	B
CLA 250	EU6	A7	225/45R17	125	5,4	B
CLA 250	EU6	A7	205/50R17	125	5,4	B
CLA 250	EU6	A7	225/40R18	128	5,5	B
CLA 250	EU6	A7	245/35R18	128	5,5	B
CLA 180 CDI	EU5	H6	225/45R17	106	4,1	C
CLA 180 CDI	EU5	H6	205/50R17	106	4,1	C
CLA 180 CDI	EU5	H6	225/40R18	108	4,2	C
CLA 180 CDI	EU5	H6	245/35R18	108	4,2	C
CLA 180 CDI	EU5	A7	205/55R16	102	3,9	B
CLA 180 CDI	EU5	A7	225/45R17	107	4,1	C
CLA 180 CDI	EU5	A7	205/50R17	107	4,1	C
CLA 180 CDI	EU5	A7	225/40R18	109	4,2	C
CLA 180 CDI	EU5	A7	245/35R18	109	4,2	C
CLA 200 CDI	EU5	H6	205/55R16	109	4,2	C
CLA 200 CDI	EU5	A7	205/55R16	109	4,2	C
CLA 220 CDI	EU6	A7	205/55R16	104	4,0	C
CLA 220 CDI	EU6	A7	225/45R17	109	4,2	C
CLA 220 CDI	EU6	A7	205/50R17	109	4,2	C
CLA 220 CDI	EU6	A7	225/40R18	111	4,2	C
CLA 220 CDI	EU6	A7	245/35R18	111	4,2	C
GLA 200	EU6	H6	215/60R17	137	5,9	C
GLA 200	EU6	H6	215/55R18	139	5,9	C
GLA 200	EU6	H6	235/50R18	139	5,9	C
GLA 200	EU6	H6	235/45R19	139	5,9	C
GLA 200	EU6	A7	215/60R17	135	5,8	C
GLA 200	EU6	A7	215/55R18	138	5,9	C
GLA 200	EU6	A7	235/50R18	138	5,9	C
GLA 200	EU6	A7	235/45R19	138	5,9	C

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
GLA 250	EU6	A7	215/60R17 z. 920	141	6,0	
GLA 250	EU6	A7	215/55R18 z. 920	143	6,1	
GLA 250	EU6	A7	235/50R18 z. 920	143	6,1	
GLA 250	EU6	A7	235/45R19 z. 920	143	6,1	
B 180	EU6	H6	195/65R15	137	5,9	
B 180	EU6	H6	205/55R16	137	5,9	
B 180	EU6	H6	225/45R17	141	6,1	
B 180	EU6	H6	205/50R17	141	6,1	
B 180	EU6	H6	225/40R18	144	6,2	
B 180	EU6	H6	195/65R15	135	5,8	
B 180	EU6	H6	205/55R16	135	5,8	
B 180	EU6	H6	225/45R17	137	5,9	
B 180	EU6	H6	205/50R17	137	5,9	
B 180	EU6	H6	225/40R18	139	5,9	
B 200	EU6	H6	205/55R16	137	5,9	
B 200	EU6	H6	225/45R17	141	6,1	
B 200	EU6	H6	205/50R17	141	6,1	
B 200	EU6	H6	225/40R18	144	6,2	
B 200	EU6	A7	205/55R16	135	5,8	
B 200	EU6	A7	225/45R17	137	5,9	
B 200	EU6	A7	205/50R17	137	5,9	
B 200	EU6	A7	225/40R18	139	5,9	
B 250	EU6	A7	225/45R17	141	6,1	
B 250	EU6	A7	205/50R17	141	6,1	
B 250	EU6	A7	225/40R18	143	6,1	
B 160 CDI	EU5	A7	195/65R15	107	4,1	
B 180 CDI	EU5	H6	195/65R15, met 4U3*	98	3,8	
B 180 CDI	EU5	H6	205/55R16, met 4U3*	98	3,8	
B 180 CDI	EU5	A7	195/65R15	107	4,1	
B 220 CDI	EU6	A7	205/55R16	107	4,1	
B 200 Natural Gas Drive	EU6	H6	205/55R16	117	6,6	
B 200 Natural Gas Drive	EU6	H6	225/45R17	119	6,7	
B 200 Natural Gas Drive	EU6	H6	205/50R17	119	6,7	

* 4U3 = ecopakket

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
B 200 Natural Gas Drive	EU6	A7	205/55R16	115	6,4	A
B 200 Natural Gas Drive	EU6	A7	225/45R17	117	6,5	A
B 200 Natural Gas Drive	EU6	A7	205/50R17	117	6,5	A
C 180	EU6a	H6	195/65R16	116	5,0	A
C 180	EU6a	H6	205/60R16	116	5,0	A
C 180	EU6a	H6	225/45R18	118	5,1	A
C 180	EU6a	H6	225/50R17	118	5,1	A
C 180	EU6a	H6	225/55R16	118	5,1	A
C 180	EU6a	H6	245/35R19	122	5,3	A
C 180	EU6a	H6	245/40R18	122	5,3	A
C 180	EU6a	H6	245/45R17	122	5,3	A
C 180	EU6a	H6	255/35R19	127	5,5	B
C 180	EU6a	A7	205/60R16	126	5,4	A
C 180	EU6a	A7	225/45R18	127	5,5	B
C 180	EU6a	A7	225/50R17	127	5,5	B
C 180	EU6a	A7	225/55R16	127	5,5	B
C 180	EU6a	A7	245/35R19	131	5,6	B
C 180	EU6a	A7	245/40R18	131	5,6	B
C 180	EU6a	A7	245/45R17	131	5,6	B
C 180	EU6a	A7	255/35R19	135	5,8	B
C 200	EU6	H6	205/60R16 m. 920**	123	5,3	A
C 200	EU6	H6	225/45R18 m. 920**	124	5,4	A
C 200	EU6	H6	225/50R17 m. 920**	124	5,4	A
C 200	EU6	H6	225/55R16 m. 920**	124	5,4	A
C 200	EU6	H6	245/35R19 m. 920**	128	5,5	B
C 200	EU6	H6	245/40R18 m. 920**	128	5,5	B
C 200	EU6	H6	245/45R17 m. 920**	128	5,5	B
C 200	EU6	H6	255/35R19 m. 920**	132	5,7	B
C 200	EU6	A7	205/60R16 m. 920**	123	5,3	A
C 200	EU6	A7	225/45R18 m. 920**	124	5,4	A
C 200	EU6	A7	225/50R17 m. 920**	124	5,4	A
C 200	EU6	A7	225/55R16 m. 920**	124	5,4	A
C 200	EU6	A7	245/35R19 m. 920**	127	5,5	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 200	EU6	A7	245/40R18 m. 920**	127	5,5	B
C 200	EU6	A7	245/45R17 m. 920**	127	5,5	B
C 200	EU6	A7	255/35R19 m. 920**	131	5,6	B
C 200	EU6	H6	205/60R16 z.920**	132	5,7	B
C 200	EU6	H6	225/45R18 z.920**	133	5,8	B
C 200	EU6	H6	225/50R17 z.920**	133	5,8	B
C 200	EU6	H6	225/55R16 z.920**	133	5,8	B
C 200	EU6	H6	245/35R19 z.920**	136	5,9	B
C 200	EU6	H6	245/40R18 z.920**	136	5,9	B
C 200	EU6	H6	245/45R17 z.920**	136	5,9	B
C 200	EU6	H6	255/35R19 z.920**	139	6,0	B
C 200	EU6	A7	205/60R16 z.920**	133	5,7	B
C 200	EU6	A7	225/45R18 z.920**	134	5,8	B
C 200	EU6	A7	225/50R17 z.920**	134	5,8	B
C 200	EU6	A7	225/55R16 z.920**	134	5,8	B
C 200	EU6	A7	245/35R19 z.920**	136	5,9	B
C 200	EU6	A7	245/40R18 z.920**	136	5,9	B
C 200	EU6	A7	245/45R17 z.920**	136	5,9	B
C 200	EU6	A7	255/35R19 z.920**	139	6,0	B
C 250	EU6	A7	205/60R16 m. 920**	123	5,3	A
C 250	EU6	A7	225/45R18 m. 920**	124	5,4	A
C 250	EU6	A7	225/50R17 m. 920**	124	5,4	A
C 250	EU6	A7	225/55R16 m. 920**	124	5,4	A
C 250	EU6	A7	245/35R19 m. 920**	127	5,5	B
C 250	EU6	A7	245/40R18 m. 920**	127	5,5	B
C 250	EU6	A7	245/45R17 m. 920**	127	5,5	B
C 250	EU6	A7	255/35R19 m. 920**	131	5,6	B
C 250	EU6	A7	205/60R16 z.920**	133	5,7	B
C 250	EU6	A7	225/45R18 z.920**	134	5,8	B
C 250	EU6	A7	225/50R17 z.920**	134	5,8	B
C 250	EU6	A7	225/55R16 z.920**	134	5,8	B
C 250	EU6	A7	245/35R19 z.920**	136	5,9	B
C 250	EU6	A7	245/40R18 z.920**	136	5,9	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde insputting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 250	EU6	A7	245/45R17 z.920**	136	5,9	B
C 250	EU6	A7	255/35R19 z.920**	139	6,0	B
C 180 BLUETEC	EU6	H6	205/60R16	102	3,9	B
C 180 BLUETEC	EU6	H6	225/45R18	103	4,0	B
C 180 BLUETEC	EU6	H6	225/50R17	103	4,0	B
C 180 BLUETEC	EU6	H6	225/55R16	103	4,0	B
C 180 BLUETEC	EU6	H6	195/65R16	99	3,8	B
C 180 BLUETEC	EU6	H6	245/35R19	106	4,1	B
C 180 BLUETEC	EU6	H6	245/40R18	106	4,1	B
C 180 BLUETEC	EU6	H6	245/45R17	106	4,1	B
C 180 BLUETEC	EU6	H6	255/35R19	109	4,2	C
C 180 BLUETEC	EU6	A7	205/60R16	112	4,3	C
C 180 BLUETEC	EU6	A7	225/45R18	112	4,3	C
C 180 BLUETEC	EU6	A7	225/50R17	112	4,3	C
C 180 BLUETEC	EU6	A7	225/55R16	112	4,3	C
C 180 BLUETEC	EU6	A7	195/65R16	109	4,2	C
C 180 BLUETEC	EU6	A7	245/35R19	114	4,4	C
C 180 BLUETEC	EU6	A7	245/40R18	114	4,4	C
C 180 BLUETEC	EU6	A7	245/45R17	114	4,4	C
C 180 BLUETEC	EU6	A7	255/35R19	117	4,5	C
C 200 BLUETEC	EU6	A7	205/60R16	109	4,3	C
C 200 BLUETEC	EU6	A7	225/45R18	110	4,4	C
C 200 BLUETEC	EU6	A7	225/50R17	110	4,4	C
C 200 BLUETEC	EU6	A7	225/55R16	110	4,4	C
C 200 BLUETEC	EU6	A7	245/35R19	113	4,4	C
C 200 BLUETEC	EU6	A7	245/40R18	113	4,4	C
C 200 BLUETEC	EU6	A7	245/45R17	113	4,4	C
C 200 BLUETEC	EU6	A7	255/35R19	117	4,5	C
C 200 BLUETEC	EU6	H6	205/60R16	102	3,9	B
C 200 BLUETEC	EU6	H6	225/45R18	103	4,0	B
C 200 BLUETEC	EU6	H6	225/50R17	103	4,0	B
C 200 BLUETEC	EU6	H6	225/55R16	103	4,0	B
C 200 BLUETEC	EU6	H6	195/65R16	99	3,8	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde insputting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 200 BLUETEC	EU6	H6	245/35R19	106	4,1	B
C 200 BLUETEC	EU6	H6	245/40R18	106	4,1	B
C 200 BLUETEC	EU6	H6	245/45R17	106	4,1	B
C 200 BLUETEC	EU6	H6	255/35R19	109	4,2	C
C 200 BLUETEC	EU6	A7	205/60R16	112	4,3	C
C 200 BLUETEC	EU6	A7	225/45R18	112	4,3	C
C 200 BLUETEC	EU6	A7	225/50R17	112	4,3	C
C 200 BLUETEC	EU6	A7	225/55R16	112	4,3	C
C 200 BLUETEC	EU6	A7	195/65R16	109	4,2	C
C 200 BLUETEC	EU6	A7	245/35R19	114	4,4	C
C 200 BLUETEC	EU6	A7	245/40R18	114	4,4	C
C 200 BLUETEC	EU6	A7	245/45R17	114	4,4	C
C 200 BLUETEC	EU6	A7	255/35R19	117	4,5	C
C 220 BLUETEC	EU6	H6	255/35R19 m. P25*; m. 922***	103	4,0	C
C 220 BLUETEC	EU6	H6	195/65R16 m. P25*; m. 922***	104	4,1	B
C 220 BLUETEC	EU6	H6	205/60R16 m. P25*; m. 922***	104	4,1	B
C 220 BLUETEC	EU6	H6	225/50R17 m. P25*; m. 922***	104	4,1	B
C 220 BLUETEC	EU6	H6	225/55R16 m. P25*; m. 922***	106	4,1	B
C 220 BLUETEC	EU6	H6	245/35R19 m. P25*; m. 922***	106	4,1	C
C 220 BLUETEC	EU6	H6	245/40R18 m. P25*; m. 922***	106	4,1	C
C 220 BLUETEC	EU6	H6	245/45R17 m. P25*; m. 922***	109	4,2	C
C 220 BLUETEC	EU6	A7	255/35R19 m. P25*; m. 922***	115	4,4	C
C 220 BLUETEC	EU6	A7	195/65R16 m. P25*; m. 922***	106	4,0	B
C 220 BLUETEC	EU6	A7	205/60R16 m. P25*; m. 922***	106	4,0	B
C 220 BLUETEC	EU6	A7	225/50R17 m. P25*; m. 922***	107	4,1	B
C 220 BLUETEC	EU6	A7	225/55R16 m. P25*; m. 922***	107	4,1	B
C 220 BLUETEC	EU6	A7	245/35R19 m. P25*; m. 922***	112	4,3	C
C 220 BLUETEC	EU6	A7	245/40R18 m. P25*; m. 922***	112	4,3	C
C 220 BLUETEC	EU6	A7	245/45R17 m. P25*; m. 922***	112	4,3	C
C 220 BLUETEC	EU6	H6	205/60R16 z. P25*; z. 922***	103	4,0	B
C 220 BLUETEC	EU6	H6	225/45R18 z. P25*; z. 922***	104	4,1	B
C 220 BLUETEC	EU6	H6	225/50R17 z. P25*; z. 922***	104	4,1	B
C 220 BLUETEC	EU6	H6	225/55R16 z. P25*; z. 922***	104	4,1	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 220 BLUETEC	EU6	H6	245/35R19 z. P25*; z. 922***	106	4,1	B
C 220 BLUETEC	EU6	H6	245/40R18 z. P25*; z. 922***	106	4,1	B
C 220 BLUETEC	EU6	H6	245/45R17 z. P25*; z. 922***	106	4,1	B
C 220 BLUETEC	EU6	H6	255/35R19 z. P25*; z. 922***	109	4,2	C
C 220 BLUETEC	EU6	A7	205/60R16 z. P25*; z. 922***	109	4,3	C
C 220 BLUETEC	EU6	A7	225/45R18 z. P25*; z. 922***	110	4,4	C
C 220 BLUETEC	EU6	A7	225/50R17 z. P25*; z. 922***	110	4,4	C
C 220 BLUETEC	EU6	A7	225/55R16 z. P25*; z. 922***	110	4,4	C
C 220 BLUETEC	EU6	A7	245/35R19 z. P25*; z. 922***	113	4,4	C
C 220 BLUETEC	EU6	A7	245/40R18 z. P25*; z. 922***	113	4,4	C
C 220 BLUETEC	EU6	A7	245/45R17 z. P25*; z. 922***	113	4,4	C
C 220 BLUETEC	EU6	A7	255/35R19 z. P25*; z. 922***	117	4,5	C
C 220 BLUETEC	EU6	A7	205/60R16 z. P25*; m. 922***	109	4,3	C
C 220 BLUETEC	EU6	A7	225/45R18 z. P25*; m. 922***	110	4,4	C
C 220 BLUETEC	EU6	A7	225/50R17 z. P25*; m. 922***	110	4,4	C
C 220 BLUETEC	EU6	A7	225/55R16 z. P25*; m. 922***	110	4,4	C
C 220 BLUETEC	EU6	A7	245/35R19 z. P25*; m. 922***	113	4,4	C
C 220 BLUETEC	EU6	A7	245/40R18 z. P25*; m. 922***	113	4,4	C
C 220 BLUETEC	EU6	A7	245/45R17 z. P25*; m. 922***	113	4,4	C
C 220 BLUETEC	EU6	A7	255/35R19 z. P25*; m. 922***	117	4,5	C
C 250 BLUETEC	EU6	A7	205/60R16	109	4,3	C
C 250 BLUETEC	EU6	A7	225/45R18	110	4,4	C
C 250 BLUETEC	EU6	A7	225/50R17	110	4,4	C
C 250 BLUETEC	EU6	A7	225/55R16	110	4,4	C
C 250 BLUETEC	EU6	A7	245/35R19	113	4,4	C
C 250 BLUETEC	EU6	A7	245/40R18	113	4,4	C
C 250 BLUETEC	EU6	A7	245/45R17	113	4,4	C
C 250 BLUETEC	EU6	A7	255/35R19	117	4,5	C
C 300 BLUETEC HYBRID	A7	205/60R16	205/60R16	94	3,6	A
C 300 BLUETEC HYBRID	A7	225/45R18	225/45R18	95	3,7	A
C 300 BLUETEC HYBRID	A7	225/50R17	225/50R17	95	3,7	A
C 300 BLUETEC HYBRID	A7	225/55R16	225/55R16	95	3,7	A
C 300 BLUETEC HYBRID	A7	245/35R19	245/35R19	99	3,8	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 300 BLUETEC HYBRID	A7	245/40R18	245/40R18	99	3,8	B
C 300 BLUETEC HYBRID	A7	245/45R17	245/45R17	99	3,8	B
C 300 BLUETEC HYBRID	A7	255/35R19	255/35R19	104	4,0	B
C 180	EU5/EU6	H6	195/60R16	136	5,8	C
C 180	EU5/EU6	H6	205/55R16	138	5,9	C
C 180	EU5/EU6	H6	225/45R17	142	6,1	C
C 180	EU5/EU6	H6	245/40R17	142	6,1	C
C 180	EU5/EU6	A7	195/60R16	136	5,8	C
C 180	EU5/EU6	A7	205/55R16	138	5,9	C
C 180	EU5/EU6	A7	225/45R17	142	6,1	C
C 180	EU5/EU6	A7	245/40R17	142	6,1	C
C 180	EU5/EU6	A7	255/35R18	147	6,3	C
C 220 CDI m. start/stop	EU5	H6	205/55R16 icm P25*	109	4,1	C
C 180	EU6a	H6	205/60R16	125	5,4	A
C 180	EU6a	H6	225/45R18	126	5,4	A
C 180	EU6a	H6	225/50R17	126	5,4	A
C 180	EU6a	H6	225/55R16	126	5,4	A
C 180	EU6a	H6	245/35R19	128	5,5	B
C 180	EU6a	H6	245/40R18	128	5,5	B
C 180	EU6a	H6	245/45R17	128	5,5	B
C 180	EU6a	H6	255/35R19	130	5,6	B
C 180	EU6a	A7	205/60R16	129	5,6	B
C 180	EU6a	A7	225/45R18	130	5,6	B
C 180	EU6a	A7	225/50R17	130	5,6	B
C 180	EU6a	A7	225/55R16	130	5,6	B
C 180	EU6a	A7	245/35R19	132	5,7	B
C 180	EU6a	A7	245/40R18	132	5,7	B
C 180	EU6a	A7	245/45R17	132	5,7	B
C 180	EU6a	A7	255/35R19	135	5,8	B
C 200	EU6	H6	205/60R16 m. 920**	128	5,5	B
C 200	EU6	H6	225/45R18 m. 920**	129	5,5	B
C 200	EU6	H6	225/50R17 m. 920**	129	5,5	B
C 200	EU6	H6	225/55R16 m. 920**	129	5,5	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 200	EU6	H6	245/35R19 m. 920**	132	5,7	B
C 200	EU6	H6	245/40R18 m. 920**	132	5,7	B
C 200	EU6	H6	245/45R17 m. 920**	132	5,7	B
C 200	EU6	H6	255/35R19 m. 920**	135	5,8	B
C 200	EU6	A7	205/60R16 m. 920**	128	5,5	B
C 200	EU6	A7	225/45R18 m. 920**	130	5,6	B
C 200	EU6	A7	225/50R17 m. 920**	130	5,6	B
C 200	EU6	A7	225/55R16 m. 920**	130	5,6	B
C 200	EU6	A7	245/35R19 m. 920**	133	5,7	B
C 200	EU6	A7	245/40R18 m. 920**	133	5,7	B
C 200	EU6	A7	245/45R17 m. 920**	133	5,7	B
C 200	EU6	A7	255/35R19 m. 920**	138	5,9	B
C 200	EU6	H6	205/60R16 z.920**	134	5,8	B
C 200	EU6	H6	225/45R18 z.920**	135	5,8	B
C 200	EU6	H6	225/50R17 z.920**	135	5,8	B
C 200	EU6	H6	225/55R16 z.920**	135	5,8	B
C 200	EU6	H6	245/35R19 z.920**	138	6,0	B
C 200	EU6	H6	245/40R18 z.920**	138	6,0	B
C 200	EU6	H6	245/45R17 z.920**	138	6,0	B
C 200	EU6	H6	255/35R19 z.920**	141	6,1	B
C 200	EU6	A7	205/60R16 z.920**	135	5,8	B
C 200	EU6	A7	225/45R18 z.920**	136	5,9	B
C 200	EU6	A7	225/50R17 z.920**	136	5,9	B
C 200	EU6	A7	225/55R16 z.920**	136	5,9	B
C 200	EU6	A7	245/35R19 z.920**	138	6,0	B
C 200	EU6	A7	245/40R18 z.920**	138	6,0	B
C 200	EU6	A7	245/45R17 z.920**	138	6,0	B
C 200	EU6	A7	255/35R19 z.920**	141	6,1	B
C 250	EU6	A7	205/60R16 m. 920**	130	5,6	B
C 250	EU6	A7	225/45R18 m. 920**	132	5,7	B
C 250	EU6	A7	225/50R17 m. 920**	132	5,7	B
C 250	EU6	A7	225/55R16 m. 920**	132	5,7	B
C 250	EU6	A7	245/35R19 m. 920**	135	5,8	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 250	EU6	A7	245/40R18 m. 920**	135	5,8	B
C 250	EU6	A7	245/45R17 m. 920**	135	5,8	B
C 250	EU6	A7	255/35R19 m. 920**	140	6,0	B
C 250	EU6	A7	205/60R16 z.920**	137	5,9	B
C 250	EU6	A7	225/45R18 z.920**	138	6,0	B
C 250	EU6	A7	225/50R17 z.920**	138	6,0	B
C 250	EU6	A7	225/55R16 z.920**	138	6,0	B
C 250	EU6	A7	245/35R19 z.920**	140	6,1	B
C 250	EU6	A7	245/40R18 z.920**	140	6,1	B
C 250	EU6	A7	245/45R17 z.920**	140	6,1	B
C 250	EU6	A7	255/35R19 z.920**	143	6,2	C
C 180 BLUETEC	EU6	H6	205/60R16	112	4,3	C
C 180 BLUETEC	EU6	H6	225/45R18	113	4,3	C
C 180 BLUETEC	EU6	H6	225/50R17	113	4,3	C
C 180 BLUETEC	EU6	H6	225/55R16	113	4,3	C
C 180 BLUETEC	EU6	H6	245/35R19	116	4,5	C
C 180 BLUETEC	EU6	H6	245/40R18	116	4,5	C
C 180 BLUETEC	EU6	H6	245/45R17	116	4,5	C
C 180 BLUETEC	EU6	H6	255/35R19	119	4,6	C
C 180 BLUETEC	EU6	A7	205/60R16	114	4,3	C
C 180 BLUETEC	EU6	A7	225/45R18	116	4,4	C
C 180 BLUETEC	EU6	A7	225/50R17	116	4,4	C
C 180 BLUETEC	EU6	A7	225/55R16	116	4,4	C
C 180 BLUETEC	EU6	A7	245/35R19	118	4,5	C
C 180 BLUETEC	EU6	A7	245/40R18	118	4,5	C
C 180 BLUETEC	EU6	A7	245/45R17	118	4,5	C
C 200 BLUETEC	EU6	H6	205/60R16	112	4,3	C
C 200 BLUETEC	EU6	H6	225/45R18	113	4,3	C
C 200 BLUETEC	EU6	H6	225/50R17	113	4,3	C
C 200 BLUETEC	EU6	H6	225/55R16	113	4,3	C
C 200 BLUETEC	EU6	H6	245/35R19	116	4,5	C
C 200 BLUETEC	EU6	H6	245/40R18	116	4,5	C
C 200 BLUETEC	EU6	H6	245/45R17	116	4,5	C

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 200 BLUETEC	EU6	H6	255/35R19	119	4,6	C
C 200 BLUETEC	EU6	A7	205/60R16	114	4,3	C
C 200 BLUETEC	EU6	A7	225/45R18	116	4,4	C
C 200 BLUETEC	EU6	A7	225/50R17	116	4,4	C
C 200 BLUETEC	EU6	A7	225/55R16	116	4,4	C
C 200 BLUETEC	EU6	A7	245/35R19	118	4,5	C
C 200 BLUETEC	EU6	A7	245/40R18	118	4,5	C
C 200 BLUETEC	EU6	A7	245/45R17	118	4,5	C
C 200 BLUETEC	EU6	H6	205/60R16 m. 922***	108	4,3	B
C 200 BLUETEC	EU6	H6	225/45R18 m. 922***	109	4,3	B
C 200 BLUETEC	EU6	H6	225/50R17 m. 922***	109	4,3	B
C 200 BLUETEC	EU6	H6	225/55R16 m. 922***	109	4,3	B
C 200 BLUETEC	EU6	H6	245/35R19 m. 922***	112	4,4	C
C 200 BLUETEC	EU6	H6	245/40R18 m. 922***	112	4,4	C
C 200 BLUETEC	EU6	H6	245/45R17 m. 922***	112	4,4	C
C 200 BLUETEC	EU6	H6	255/35R19 m. 922***	115	4,5	C
C 200 BLUETEC	EU6	A7	205/60R16 m. 922***	114	4,4	C
C 200 BLUETEC	EU6	A7	225/45R18 m. 922***	115	4,5	C
C 200 BLUETEC	EU6	A7	225/50R17 m. 922***	115	4,5	C
C 200 BLUETEC	EU6	A7	225/55R16 m. 922***	115	4,5	C
C 200 BLUETEC	EU6	A7	245/35R19 m. 922***	118	4,6	C
C 200 BLUETEC	EU6	A7	245/40R18 m. 922***	118	4,6	C
C 200 BLUETEC	EU6	A7	245/45R17 m. 922***	118	4,6	C
C 200 BLUETEC	EU6	H6	205/60R16 z. 922***	108	4,3	B
C 200 BLUETEC	EU6	H6	225/45R18 z. 922***	109	4,3	B
C 200 BLUETEC	EU6	H6	225/50R17 z. 922***	109	4,3	B
C 200 BLUETEC	EU6	H6	225/55R16 z. 922***	109	4,3	B
C 200 BLUETEC	EU6	H6	245/35R19 z. 922***	112	4,4	C
C 200 BLUETEC	EU6	H6	245/40R18 z. 922***	112	4,4	C
C 200 BLUETEC	EU6	H6	245/45R17 z. 922***	112	4,4	C
C 200 BLUETEC	EU6	H6	255/35R19 z. 922***	115	4,5	C
C 200 BLUETEC	EU6	A7	205/60R16 z. 922***	114	4,4	C
C 200 BLUETEC	EU6	A7	225/45R18 z. 922***	115	4,5	C

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 200 BLUETEC	EU6	A7	225/50R17 z. 922***	115	4,5	C
C 200 BLUETEC	EU6	A7	225/55R16 z. 922***	115	4,5	C
C 200 BLUETEC	EU6	A7	245/35R19 z. 922***	118	4,6	C
C 200 BLUETEC	EU6	A7	245/40R18 z. 922***	118	4,6	C
C 200 BLUETEC	EU6	A7	245/45R17 z. 922***	118	4,6	C
C 250 BLUETEC	EU6	A7	205/60R16	117	4,5	C
C 250 BLUETEC	EU6	A7	225/45R18	118	4,6	C
C 250 BLUETEC	EU6	A7	225/50R17	118	4,6	C
C 250 BLUETEC	EU6	A7	225/55R16	118	4,6	C
C 300 BLUETEC HYBRID	EU6	A7	225/45R18	99	3,8	B
C 300 BLUETEC HYBRID	EU6	A7	225/50R17	99	3,8	B
C 300 BLUETEC HYBRID	EU6	A7	225/55R16	99	3,8	B
C 300 BLUETEC HYBRID	EU6	A7	245/35R19	103	4,0	B
C 300 BLUETEC HYBRID	EU6	A7	245/40R18	103	4,0	B
C 300 BLUETEC HYBRID	EU6	A7	245/45R17	103	4,0	B
C 300 BLUETEC HYBRID	EU6	A7	255/35R19	108	4,2	B
C 180	EU6a	H6	205/60R16	125	5,4	A
C 180	EU6a	H6	225/45R18	126	5,4	A
C 180	EU6a	H6	225/50R17	126	5,4	A
C 180	EU6a	H6	225/55R16	126	5,4	A
C 180	EU6a	H6	245/35R19	128	5,5	B
C 180	EU6a	H6	245/40R18	128	5,5	B
C 180	EU6a	H6	245/45R17	128	5,5	B
C 180	EU6a	H6	255/35R19	130	5,6	B
C 180	EU6a	A7	205/60R16	129	5,6	B
C 180	EU6a	A7	225/45R18	130	5,6	B
C 180	EU6a	A7	225/50R17	130	5,6	B
C 180	EU6a	A7	225/55R16	130	5,6	B
C 180	EU6a	A7	245/35R19	132	5,7	B
C 180	EU6a	A7	245/40R18	132	5,7	B
C 180	EU6a	A7	245/45R17	132	5,7	B
C 180	EU6a	A7	255/35R19	135	5,8	B
C 200	EU6	H6	205/60R16 m. 920**	128	5,5	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 200	EU6	H6	225/45R18 m. 920**	129	5,5	B
C 200	EU6	H6	225/50R17 m. 920**	129	5,5	B
C 200	EU6	H6	225/55R16 m. 920**	129	5,5	B
C 200	EU6	H6	245/35R19 m. 920**	132	5,7	B
C 200	EU6	H6	245/40R18 m. 920**	132	5,7	B
C 200	EU6	H6	245/45R17 m. 920**	132	5,7	B
C 200	EU6	H6	255/35R19 m. 920**	135	5,8	B
C 200	EU6	A7	205/60R16 m. 920**	128	5,5	B
C 200	EU6	A7	225/45R18 m. 920**	130	5,6	B
C 200	EU6	A7	225/50R17 m. 920**	130	5,6	B
C 200	EU6	A7	225/55R16 m. 920**	130	5,6	B
C 200	EU6	A7	245/35R19 m. 920**	133	5,7	B
C 200	EU6	A7	245/40R18 m. 920**	133	5,7	B
C 200	EU6	A7	245/45R17 m. 920**	133	5,7	B
C 200	EU6	A7	255/35R19 m. 920**	138	5,9	B
C 200	EU6	H6	205/60R16 z.920**	134	5,8	B
C 200	EU6	H6	225/45R18 z.920**	135	5,8	B
C 200	EU6	H6	225/50R17 z.920**	135	5,8	B
C 200	EU6	H6	225/55R16 z.920**	135	5,8	B
C 200	EU6	H6	245/35R19 z.920**	138	6,0	B
C 200	EU6	H6	245/40R18 z.920**	138	6,0	B
C 200	EU6	H6	245/45R17 z.920**	138	6,0	B
C 200	EU6	H6	255/35R19 z.920**	141	6,1	B
C 200	EU6	A7	205/60R16 z.920**	135	5,8	B
C 200	EU6	A7	225/45R18 z.920**	136	5,9	B
C 200	EU6	A7	225/50R17 z.920**	136	5,9	B
C 200	EU6	A7	225/55R16 z.920**	136	5,9	B
C 200	EU6	A7	245/35R19 z.920**	138	6,0	B
C 200	EU6	A7	245/40R18 z.920**	138	6,0	B
C 200	EU6	A7	245/45R17 z.920**	138	6,0	B
C 200	EU6	A7	255/35R19 z.920**	141	6,1	B
C 250	EU6	A7	205/60R16 m. 920**	130	5,6	B
C 250	EU6	A7	225/45R18 m. 920**	132	5,7	B

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 250	EU6	A7	225/50R17 m. 920**	132	5,7	B
C 250	EU6	A7	225/55R16 m. 920**	132	5,7	B
C 250	EU6	A7	245/35R19 m. 920**	135	5,8	B
C 250	EU6	A7	245/40R18 m. 920**	135	5,8	B
C 250	EU6	A7	245/45R17 m. 920**	135	5,8	B
C 250	EU6	A7	255/35R19 m. 920**	140	6,0	B
C 250	EU6	A7	205/60R16 z.920**	137	5,9	B
C 250	EU6	A7	225/45R18 z.920**	138	6,0	B
C 250	EU6	A7	225/50R17 z.920**	138	6,0	B
C 250	EU6	A7	225/55R16 z.920**	138	6,0	B
C 250	EU6	A7	245/35R19 z.920**	140	6,1	B
C 250	EU6	A7	245/40R18 z.920**	140	6,1	B
C 250	EU6	A7	245/45R17 z.920**	140	6,1	B
C 250	EU6	A7	255/35R19 z.920**	143	6,2	C
C 180 BLUETEC	EU6	H6	205/60R16	112	4,3	C
C 180 BLUETEC	EU6	H6	225/45R18	113	4,3	C
C 180 BLUETEC	EU6	H6	225/50R17	113	4,3	C
C 180 BLUETEC	EU6	H6	225/55R16	113	4,3	C
C 180 BLUETEC	EU6	H6	245/35R19	116	4,5	C
C 180 BLUETEC	EU6	H6	245/40R18	116	4,5	C
C 180 BLUETEC	EU6	H6	245/45R17	116	4,5	C
C 180 BLUETEC	EU6	H6	255/35R19	119	4,6	C
C 180 BLUETEC	EU6	A7	205/60R16	114	4,3	C
C 180 BLUETEC	EU6	A7	225/45R18	116	4,4	C
C 180 BLUETEC	EU6	A7	225/50R17	116	4,4	C
C 180 BLUETEC	EU6	A7	225/55R16	116	4,4	C
C 180 BLUETEC	EU6	A7	245/35R19	118	4,5	C
C 180 BLUETEC	EU6	A7	245/40R18	118	4,5	C
C 180 BLUETEC	EU6	A7	245/45R17	118	4,5	C
C 200 BLUETEC	EU6	H6	205/60R16	112	4,3	C
C 200 BLUETEC	EU6	H6	225/45R18	113	4,3	C
C 200 BLUETEC	EU6	H6	225/50R17	113	4,3	C
C 200 BLUETEC	EU6	H6	225/55R16	113	4,3	C

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 200 BLUETEC	EU6	H6	245/35R19	116	4,5	C
C 200 BLUETEC	EU6	H6	245/40R18	116	4,5	C
C 200 BLUETEC	EU6	H6	245/45R17	116	4,5	C
C 200 BLUETEC	EU6	H6	255/35R19	119	4,6	C
C 200 BLUETEC	EU6	A7	205/60R16	114	4,3	C
C 200 BLUETEC	EU6	A7	225/45R18	116	4,4	C
C 200 BLUETEC	EU6	A7	225/50R17	116	4,4	C
C 200 BLUETEC	EU6	A7	225/55R16	116	4,4	C
C 200 BLUETEC	EU6	A7	245/35R19	118	4,5	C
C 200 BLUETEC	EU6	A7	245/40R18	118	4,5	C
C 200 BLUETEC	EU6	A7	245/45R17	118	4,5	C
C 220 BLUETEC	EU6	H6	205/60R16 m. 922***	108	4,3	B
C 220 BLUETEC	EU6	H6	225/45R18 m. 922***	109	4,3	B
C 220 BLUETEC	EU6	H6	225/50R17 m. 922***	109	4,3	B
C 220 BLUETEC	EU6	H6	225/55R16 m. 922***	109	4,3	B
C 220 BLUETEC	EU6	H6	245/35R19 m. 922***	112	4,4	C
C 220 BLUETEC	EU6	H6	245/40R18 m. 922***	112	4,4	C
C 220 BLUETEC	EU6	H6	245/45R17 m. 922***	112	4,4	C
C 220 BLUETEC	EU6	H6	255/35R19 m. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	205/60R16 m. 922***	114	4,4	C
C 220 BLUETEC	EU6	A7	225/45R18 m. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	225/50R17 m. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	225/55R16 m. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	245/35R19 m. 922***	118	4,6	C
C 220 BLUETEC	EU6	A7	245/40R18 m. 922***	118	4,6	C
C 220 BLUETEC	EU6	A7	245/45R17 m. 922***	118	4,6	C
C 220 BLUETEC	EU6	H6	205/60R16 z. 922***	108	4,3	B
C 220 BLUETEC	EU6	H6	225/45R18 z. 922***	109	4,3	B
C 220 BLUETEC	EU6	H6	225/50R17 z. 922***	109	4,3	B
C 220 BLUETEC	EU6	H6	225/55R16 z. 922***	109	4,3	B
C 220 BLUETEC	EU6	H6	245/35R19 z. 922***	112	4,4	C
C 220 BLUETEC	EU6	H6	245/40R18 z. 922***	112	4,4	C
C 220 BLUETEC	EU6	H6	245/45R17 z. 922***	112	4,4	C

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde inspuiting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
C 220 BLUETEC	EU6	H6	255/35R19 z. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	205/60R16 z. 922***	114	4,4	C
C 220 BLUETEC	EU6	A7	225/45R18 z. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	225/50R17 z. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	225/55R16 z. 922***	115	4,5	C
C 220 BLUETEC	EU6	A7	245/35R19 z. 922***	118	4,6	C
C 220 BLUETEC	EU6	A7	245/40R18 z. 922***	118	4,6	C
C 220 BLUETEC	EU6	A7	245/45R17 z. 922***	118	4,6	C
C 250 BLUETEC	EU6	A7	205/60R16	117	4,5	C
C 250 BLUETEC	EU6	A7	225/45R18	118	4,6	C
C 250 BLUETEC	EU6	A7	225/50R17	118	4,6	C
C 250 BLUETEC	EU6	A7	225/55R16	118	4,6	C
C 300 BLUETEC HYBRID	EU6	A7	225/45R18	99	3,8	B
C 300 BLUETEC HYBRID	EU6	A7	225/50R17	99	3,8	B
C 300 BLUETEC HYBRID	EU6	A7	225/55R16	99	3,8	B
C 300 BLUETEC HYBRID	EU6	A7	245/35R19	103	4,0	B
C 300 BLUETEC HYBRID	EU6	A7	245/40R18	103	4,0	B
C 300 BLUETEC HYBRID	EU6	A7	245/45R17	103	4,0	B
C 300 BLUETEC HYBRID	EU6	A7	255/35R19	108	4,2	B
E 180	EU6	A7	205/60R16		6,1	B
E 180	EU6	A7	225/55R16		6,1	B
E 180	EU6	A7	245/45R17		6,3	B
E 180	EU6	A7	245/40R18		6,3	B
E 180	EU6	A7	265/35R18		6,6	B
E 180	EU6	A7	275/30R19		6,6	B
E 200 m. start/stop	EU6	H6	205/60R16		6,1	B
E 200 m. start/stop	EU6	H6	225/55R16		6,1	B
E 200 m. start/stop	EU6	H6	245/45R17		6,3	B
E 200 m. start/stop	EU6	H6	245/40R18		6,3	B
E 200 m. start/stop	EU6	H6	265/35R18		6,5	B
E 200 m. start/stop	EU6	H6	275/30R19		6,5	B
E 200 m. start/stop	EU6	A7	205/60R16		5,8	A
E 200 m. start/stop	EU6	A7	225/55R16		5,8	A

(z. = zonder / m. = met)

Ad * P25 = Eco Model
Ad ** 920 = Gelaagde insputting
Ad *** 922 = Gereduceerd vermogen
Ad **** R03 = Sport banden
5U1 = Aluminium achteras

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
E 200 m. start/stop	EU6	A7	245/45R17		5,9	B
E 200 m. start/stop	EU6	A7	245/40R18		5,9	B
E 200 m. start/stop	EU6	A7	265/35R18		6,1	B
E 200 m. start/stop	EU6	A7	275/30R19		6,1	B
E 250 m. start/stop	EU6	A7	225/55R16		5,8	A
E 250 m. start/stop	EU6	A7	245/45R17		5,9	B
E 250 m. start/stop	EU6	A7	245/40R18		5,9	B
E 250 m. start/stop	EU6	A7	265/35R18		6,1	B
E 250 m. start/stop	EU6	A7	275/30R19		6,1	B
E 300 m. start/stop	EU5	A7	225/55R16		6,8	C
E 300 m. start/stop	EU5	A7	245/45R17		6,9	C
E 300 m. start/stop	EU5	A7	245/40R18		6,9	C
E 300 m. start/stop	EU5	A7	265/35R18		7,0	C
E 300 m. start/stop	EU5	A7	275/30R19		7,0	C
E 350 m. start/stop	EU5	A7	225/55R16		6,8	C
E 350 m. start/stop	EU5	A7	245/45R17		6,9	C
E 350 m. start/stop	EU5	A7	245/40R18		6,9	C
E 350 m. start/stop	EU5	A7	265/35R18		7,0	C
E 350 m. start/stop	EU5	A7	275/30R19		7,0	C
E 200 CDI m. start/stop	EU5	H6	205/60R16		4,8	C
E 200 CDI m. start/stop	EU5	H6	225/55R16		4,8	C
E 200 CDI m. start/stop	EU5	H6	245/45R17		4,9	C
E 200 CDI m. start/stop	EU5	H6	245/40R18		4,9	C
E 200 CDI m. start/stop	EU5	H6	265/35R18		5,1	C
E 200 CDI m. start/stop	EU5	H6	275/30R19		5,1	C
E 200 CDI m. start/stop	EU5	A7	205/60R16		4,9	C
E 200 CDI m. start/stop	EU5	A7	225/55R16		4,9	C
E 200 CDI m. start/stop	EU5	A7	245/45R17		5,0	C
E 200 CDI m. start/stop	EU5	A7	245/40R18		5,0	C
E 200 CDI m. start/stop	EU5	A7	265/35R18		5,2	C
E 200 CDI m. start/stop	EU5	A7	275/30R19		5,2	C
E 220 CDI m. start/stop	EU5	H6	205/60R16 zonder P25*		4,7	B
E 220 CDI m. start/stop	EU5	H6	225/55R16 zonder P25*		4,7	B

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
E 220 CDI m. start/stop	EU5	H6	245/45R17 zonder P25*		4,8	
E 220 CDI m. start/stop	EU5	H6	245/40R18 zonder P25*		4,8	
E 220 CDI m. start/stop	EU5	H6	265/35R18 zonder P25*		5,0	
E 220 CDI m. start/stop	EU5	H6	275/30R19 zonder P25*		5,0	
E 220 CDI m. start/stop	EU5	H6	205/60R16 met P25*		4,5	
E 220 CDI m. start/stop	EU5	H6	225/50R17 met P25*		4,6	
E 220 CDI m. start/stop	EU5	H6	225/55R16 met P25*		4,7	
E 220 CDI m. start/stop	EU5	H6	245/45R17 met P25*		4,8	
E 220 CDI m. start/stop	EU5	H6	245/40R18 met P25*		4,8	
E 220 CDI m. start/stop	EU5	H6	265/35R18 met P25*		4,9	
E 220 CDI m. start/stop	EU5	H6	275/30R19 met P25*		4,9	
E 220 CDI m. start/stop	EU5	A7	205/60R16 zonder P25*		4,6	
E 220 CDI m. start/stop	EU5	A7	225/55R16 zonder P25*		4,6	
E 220 CDI m. start/stop	EU5	A7	245/45R17 zonder P25*		4,8	
E 220 CDI m. start/stop	EU5	A7	245/40R18 zonder P25*		4,8	
E 220 CDI m. start/stop	EU5	A7	265/35R18 zonder P25*		5,0	
E 220 CDI m. start/stop	EU5	A7	275/30R19 zonder P25*		5,0	
E 220 CDI m. start/stop	EU5	A7	205/60R16 met P25*		4,5	
E 220 CDI m. start/stop	EU5	A7	225/50R17 met P25*		4,6	
E 220 CDI m. start/stop	EU5	A7	225/55R16 met P25*		4,6	
E 220 CDI m. start/stop	EU5	A7	245/45R17 met P25*		4,7	
E 220 CDI m. start/stop	EU5	A7	245/40R18 met P25*		4,7	
E 220 CDI m. start/stop	EU5	A7	265/35R18 met P25*		4,8	
E 220 CDI m. start/stop	EU5	A7	275/30R19 met P25*		4,8	
E 220 BLUETEC	EU6	A7	225/55R16 zonder P25*		4,5	
E 220 BLUETEC	EU6	A7	245/45R17 zonder P25*		4,6	
E 220 BLUETEC	EU6	A7	245/40R18 zonder P25*		4,6	
E 220 BLUETEC	EU6	A7	265/35R18 zonder P25*		4,6	
E 220 BLUETEC	EU6	A7	275/30R19 zonder P25*		4,6	
E 220 BLUETEC	EU6	A7	205/60R16 met P25*		4,4	
E 220 BLUETEC	EU6	A7	225/50R17 met P25*		4,5	
E 220 BLUETEC	EU6	A7	225/55R16 met P25*		4,5	
E 220 BLUETEC	EU6	A7	245/45R17 met P25*		4,6	

*P25 E 220 CDI BlueEFFICIENCY Edition

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
E 220 BLUETEC	EU6	A7	245/40R18 met P25*		4,6	B
E 220 BLUETEC	EU6	A7	265/35R18 met P25*		4,6	B
E 220 BLUETEC	EU6	A7	275/30R19 met P25*		4,6	B
E 250 CDI m. start/stop	EU5	H6	205/60R16		4,8	C
E 250 CDI m. start/stop	EU5	H6	225/55R16		4,8	C
E 250 CDI m. start/stop	EU5	H6	245/45R17		4,9	C
E 250 CDI m. start/stop	EU5	H6	245/40R18		4,9	C
E 250 CDI m. start/stop	EU5	H6	265/35R18		5,1	C
E 250 CDI m. start/stop	EU5	H6	275/30R19		5,1	C
E 250 CDI m. start/stop	EU5	A7	205/60R16		4,7	C
E 250 CDI m. start/stop	EU5	A7	225/55R16		4,7	C
E 250 CDI m. start/stop	EU5	A7	245/45R17		4,9	C
E 250 CDI m. start/stop	EU5	A7	245/40R18		4,9	C
E 250 CDI m. start/stop	EU5	A7	265/35R18		5,1	C
E 250 CDI m. start/stop	EU5	A7	275/30R19		5,1	C
E 300 BLUETEC HYBRID	EU5	A7	225/55R16		4,1	A
E 300 BLUETEC HYBRID	EU5	A7	245/45R17		4,1	A
E 300 BLUETEC HYBRID	EU5	A7	245/40R18		4,1	A
E 300 BLUETEC HYBRID	EU5	A7	265/35R18		4,2	A
E 300 BLUETEC HYBRID	EU5	A7	275/30R19		4,2	A
E 200 NGD	EU6	A7	225/55R16		6,5	A
E 200 NGD	EU6	A7	245/45R17		6,6	A
E 200 NGD	EU6	A7	245/40R18		6,6	A
E 200 NGD	EU6	A7	265/35R18		6,7	A
E 200 NGD	EU6	A7	275/30R19		6,7	A
E 200 m. start/stop	EU6	H6	225/55R16		6,4	B
E 200 m. start/stop	EU6	H6	245/45R17		6,6	B
E 200 m. start/stop	EU6	H6	245/40R18		6,6	B
E 200 m. start/stop	EU6	H6	265/35R18		6,7	C
E 200 m. start/stop	EU6	H6	275/30R19		6,7	C
E 200 m. start/stop	EU6	A7	225/55R16		6,0	B
E 200 m. start/stop	EU6	A7	245/45R17		6,1	B
E 200 m. start/stop	EU6	A7	245/40R18		6,1	B

*P25 E 220 CDI BlueEFFICIENCY Edition

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
E 200 m. start/stop	EU6	A7	265/35R18		6,2	B
E 200 m. start/stop	EU6	A7	275/30R19		6,2	B
E 250 m. start/stop	EU6	A7	225/55R16		6,1	B
E 250 m. start/stop	EU6	A7	245/45R17		6,2	B
E 250 m. start/stop	EU6	A7	245/40R18		6,2	B
E 250 m. start/stop	EU6	A7	265/35R18		6,3	B
E 250 m. start/stop	EU6	A7	275/30R19		6,3	B
E 300 m. start/stop	EU5	A7	225/55R16		7,1	C
E 300 m. start/stop	EU5	A7	245/45R17		7,2	C
E 300 m. start/stop	EU5	A7	245/40R18		7,2	C
E 300 m. start/stop	EU5	A7	265/35R18		7,2	C
E 300 m. start/stop	EU5	A7	275/30R19		7,2	C
E 350 m. start/stop	EU5	A7	225/55R16		7,1	C
E 350 m. start/stop	EU5	A7	245/45R17		7,2	C
E 350 m. start/stop	EU5	A7	245/40R18		7,2	C
E 350 m. start/stop	EU5	A7	265/35R18		7,2	C
E 350 m. start/stop	EU5	A7	275/30R19		7,2	C
E 200 CDI m. start/stop	EU5	H6	225/55R16		5,2	C
E 200 CDI m. start/stop	EU5	A7	225/55R16		5,3	C
E 220 CDI m. start/stop	EU5	H6	225/55R16		5,0	C
E 220 CDI m. start/stop	EU5	H6	245/45R17		5,1	C
E 220 CDI m. start/stop	EU5	H6	245/40R18		5,1	C
E 220 CDI m. start/stop	EU5	H6	265/35R18		5,2	C
E 220 CDI m. start/stop	EU5	H6	275/30R19		5,2	C
E 220 CDI m. start/stop	EU5	A7	225/55R16		5,2	C
E 250 CDI m. start/stop	EU5	H6	225/55R16		5,1	C
E 250 CDI m. start/stop	EU5	H6	245/45R17		5,2	C
E 250 CDI m. start/stop	EU5	A7	225/55R16		5,3	C
E 300 BLUETEC HYBRID	EU5	A7	225/55R16		4,4	B
E 300 BLUETEC HYBRID	EU5	A7	245/45R17		4,5	B
E 300 BLUETEC HYBRID	EU5	A7	245/40R18		4,5	B
E 300 BLUETEC HYBRID	EU5	A7	265/35R18		4,5	B
E 300 BLUETEC HYBRID	EU5	A7	275/30R19		4,5	B

* A14 = Camtronic ** 4U3 = ecopakket

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
E 200	EU6	H6	205/55R16		6,1	C
E 200	EU6	H6	235/45R17		6,3	C
E 200	EU6	H6	255/40R17		6,4	C
E 200	EU6	H6	255/35R18		6,4	C
E 200	EU6	H6	255/30R19		6,4	C
E 200	EU6	A7	205/55R16		5,6	B
E 200	EU6	A7	235/45R17		5,9	B
E 200	EU6	A7	255/40R17		6,0	C
E 200	EU6	A7	255/35R18		6,0	C
E 200	EU6	A7	255/30R19		6,0	C
E 250	EU6	A7	205/55R16		5,7	B
E 250	EU6	A7	235/45R17		6,0	B
E 250	EU6	A7	255/40R17		6,1	C
E 250	EU6	A7	255/35R18		6,1	C
E 250	EU6	A7	255/30R19		6,1	C
E 200	EU6	H6	235/45R17		6,4	C
E 200	EU6	H6	235/40R18		6,4	C
E 200	EU6	H6	255/40R17		6,5	C
E 200	EU6	H6	255/35R18		6,5	C
E 200	EU6	H6	255/30R19		6,5	C
E 200	EU6	A7	235/45R17		6,1	C
E 200	EU6	A7	235/40R18		6,1	C
E 200	EU6	A7	255/40R17		6,3	C
E 200	EU6	A7	255/35R18		6,3	C
E 200	EU6	A7	255/30R19		6,3	C
E 250	EU6	A7	235/45R17		6,2	C
E 250	EU6	A7	235/40R18		6,2	C
E 250	EU6	A7	255/40R17		6,4	C
E 250	EU6	A7	255/35R18		6,4	C
E 250	EU6	A7	255/30R19		6,4	C
S 400 HYBRID	EU6	A7	245/55R17	147	6,3	A
S 400 HYBRID	EU6	A7	245/50R18	147	6,3	A
S 400 HYBRID	EU6	A7	275/40R19	153	6,6	B

* A14 = Camtronic ** 4U3 = ecopakket

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
S 400 HYBRID	EU6	A7	275/45R18	156	6,7	
S 400 HYBRID	EU6	A7	275/35R20	159	6,8	
S 300 BLUETEC HYBRID	EU6	A7	245/55R17 zonder R05*	115	4,4	
S 300 BLUETEC HYBRID	EU6	A7	245/50R18 zonder R05*	115	4,4	
S 300 BLUETEC HYBRID	EU6	A7	275/40R19 zonder R05*	120	4,6	
S 300 BLUETEC HYBRID	EU6	A7	275/45R18 zonder R05*	123	4,7	
S 300 BLUETEC HYBRID	EU6	A7	275/35R20 zonder R05*	124	4,7	
S 300 BLUETEC HYBRID	EU6	A7	245/55R17 met R05*	109	4,2	
S 350 BLUETEC	EU6	A7	245/55R17	146	5,5	
S 350 BLUETEC	EU6	A7	245/50R18	146	5,5	
S 350 BLUETEC	EU6	A7	275/40R19	151	5,7	
S 350 BLUETEC	EU6	A7	275/45R18	153	5,8	
S 350 BLUETEC	EU6	A7	275/35R20	155	5,9	
S 350 BLUETEC 4MATIC	EU6	A7	245/55R17	156	5,9	
S 350 BLUETEC 4MATIC	EU6	A7	245/50R18	156	5,9	
S 400 Lang	EU5	A7	245/50R18	182	7,8	
S 400 Lang	EU5	A7	275/40R19	182	7,8	
S 400 Lang	EU5	A7	275/45R18	185	8,0	
S 400 Lang	EU5	A7	275/35R20	188	8,1	
S 400 Lang	EU6	A7	245/50R18	178	7,6	
S 400 Lang	EU6	A7	275/40R19	185	7,9	
S 400 Lang	EU6	A7	275/45R18	187	8,0	
S 400 Lang	EU6	A7	275/35R20	189	8,1	
S 400 4MATIC	EU6	A7	245/50R18	189	8,1	
S 400 HYBRID Lang	EU6	A7	245/55R17	147	6,3	
S 400 HYBRID Lang	EU6	A7	245/50R18	147	6,3	
S 400 HYBRID Lang	EU6	A7	275/40R19	153	6,6	
S 400 HYBRID Lang	EU6	A7	275/45R18	156	6,7	
S 400 HYBRID Lang	EU6	A7	275/35R20	159	5,8	
S 500 PLUG IN HYBRID	EU6	A7	nvt	65	2,8	
S 300 BLUETEC HYBRID Lang	EU6	A7	245/55R17 zonder R05*	115	4,4	
S 300 BLUETEC HYBRID Lang	EU6	A7	245/50R18 zonder R05*	115	4,4	
S 300 BLUETEC HYBRID Lang	EU6	A7	275/40R19 zonder R05*	120	4,6	

* R05 = CO₂ reductie

Type	Euronorm	Versnellingsbak	Bandenmaat achter	CO ₂ -waarde (g/km)	Verbruik (l/100km)	Energielabel 2014
S 300 BLUETEC HYBRID Lang	EU6	A7	275/45R18 zonder R05*	123	4,7	A
S 300 BLUETEC HYBRID Lang	EU6	A7	275/35R20 zonder R05*	124	4,7	A
S 300 BLUETEC HYBRID Lang	EU6	A7	245/55R17 met R05*	109	4,2	A
S 350 BLUETEC Lang	EU6	A7	245/55R17	148	5,6	B
S 350 BLUETEC Lang	EU6	A7	245/50R18	148	5,6	B
S 350 BLUETEC Lang	EU6	A7	275/40R19	154	5,8	C
S 350 BLUETEC Lang	EU6	A7	275/45R18	156	5,9	C
S 350 BLUETEC Lang	EU6	A7	275/35R20	158	6,0	C
S 350 BLUETEC 4MATIC Lang	EU6	A7	245/55R17	156	5,9	C
S 350 BLUETEC 4MATIC Lang	EU6	A7	245/50R18	156	5,9	C
S 350 BLUETEC 4MATIC Lang	EU6	A7	275/40R19	163	6,2	C
S 350 BLUETEC 4MATIC Lang	EU6	A7	275/45R18	166	6,3	C
S 350 BLUETEC 4MATIC Lang	EU6	A7	275/35R20	168	6,4	C
SLK 200 m. start/stop	EU5	A7	205/55R16	142	6,1	C
SLK 200 m. start/stop	EU5	A7	225/50R16	147	6,3	C
CLS 350 m. start/stop	EU5	A7	245/45R17		6,8	B
CLS 350 m. start/stop	EU5	A7	255/40R18		6,9	C
CLS 350 m. start/stop	EU5	A7	285/35R18		6,9	C
CLS 350 m. start/stop	EU5	A7	285/30R19		7,0	C
CLS 250 CDI	EU5	A7	245/45R17		5,1	C
CLS 250 CDI	EU5	A7	255/40R18		5,2	C
CLS 250 CDI	EU5	A7	285/35R18		5,2	C
CLS 250 CDI	EU5	A7	285/30R19		5,3	C
CLS 350 BLUETEC	EU6	A7	245/45R17		5,5	C
CLS 350 BLUETEC	EU6	A7	255/40R18		5,5	C
CLS 350 BLUETEC	EU6	A7	285/35R18		5,5	C
CLS 350BLUETEC	EU6	A7	285/30R19		5,6	C
CLS 350 m. start/stop	EU5	A7	245/45R17		7,3	C
CLS 350 m. start/stop	EU5	A7	255/40R18		7,3	C
CLS 350 m. start/stop	EU5	A7	285/35R18		7,3	C
CLS 350 m. start/stop	EU5	A7	285/30R19		7,4	C
CLS 250 CDI	EU5	A7	245/45R17		5,3	C
CLS 250 CDI	EU5	A7	255/40R18		5,3	C
CLS 250 CDI	EU5	A7	285/35R18		5,3	C
CLS 250 CDI	EU5	A7	285/30R19		5,4	C

* R05 = CO₂ reductie